

# *References for Physical Activity for Individuals with Type 2 Diabetes*

1. Colberg, S. R., Sigal, R. J., Fernhall, B., Regensteiner, J. G., Blissmer, B. J., Rubin, R. R., Chasan-Taber, L., Albright, A. L., Braun, B., American College of Sports Medicine, & American Diabetes Association (2010). Exercise and type 2 diabetes: the American College of Sports Medicine and the American Diabetes Association: joint position statement. *Diabetes care*, 33(12), e147–e167. <https://doi.org/10.2337/dc10-9990>
2. Bond, D. S., Raynor, H. A., Phelan, S., Steeves, J., Daniello, R., & Wing, R. R. (2012). The Relationship between Physical Activity Variety and Objectively Measured Moderate-to-Vigorous Physical Activity Levels in Weight Loss Maintainers and Normal-Weight Individuals. *Journal of obesity*, 2012, 812414. <https://doi.org/10.1155/2012/812414>
3. Dasgupta, K., Rosenberg, E., Joseph, L., Cooke, A. B., Trudeau, L., Bacon, S. L., Chan, D., Sherman, M., Rabasa-Lhoret, R., Daskalopoulou, S. S., & SMARTER Trial Group (2017). Physician step prescription and monitoring to improve ARTERial health (SMARTER): A randomized controlled trial in patients with type 2 diabetes and hypertension. *Diabetes, obesity & metabolism*, 19(5), 695–704. <https://doi.org/10.1111/dom.12874>
4. Kerr, D. A., Harray, A. J., Pollard, C. M., Dhaliwal, S. S., Delp, E. J., Howat, P. A., Pickering, M. R., Ahmad, Z., Meng, X., Pratt, I. S., Wright, J. L., Kerr, K. R., & Boushey, C. J. (2016). The connecting health and technology study: a 6-month randomized controlled trial to improve nutrition behaviours using a mobile food record and text messaging support in young adults. *The international journal of behavioral nutrition and physical activity*, 13, 52. <https://doi.org/10.1186/s12966-016-0376-8>
5. Balk-Møller, N. C., Poulsen, S. K., & Larsen, T. M. (2017). Effect of a Nine-Month Web- and App-Based Workplace Intervention to Promote Healthy Lifestyle and Weight Loss for Employees in the Social Welfare and Health Care Sector: A Randomized Controlled Trial. *Journal of medical Internet research*, 19(4), e108. <https://doi.org/10.2196/jmir.6196>
6. Kerr, D. A., Harray, A. J., Pollard, C. M., Dhaliwal, S. S., Delp, E. J., Howat, P. A., Pickering, M. R., Ahmad, Z., Meng, X., Pratt, I. S., Wright, J. L., Kerr, K. R., & Boushey, C. J. (2016). The connecting health and technology study: a 6-month randomized controlled trial to improve nutrition behaviours using a mobile food record and text messaging support in young adults. *The international journal of behavioral nutrition and physical activity*, 13, 52. <https://doi.org/10.1186/s12966-016-0376-8>
7. Glynn, L. G., Hayes, P. S., Casey, M., Glynn, F., Alvarez-Iglesias, A., Newell, J., OLaighin, G., Heaney, D., O'Donnell, M., & Murphy, A. W. (2014). Effectiveness of a smartphone application to promote physical activity in primary care: the SMART MOVE randomised controlled trial. *The British journal of general practice : the journal of the Royal College of General Practitioners*, 64(624), e384–e391. <https://doi.org/10.3399/bjgp14X680461>
8. Kramer, J. N., & Kowatsch, T. (2017). Using Feedback to Promote Physical Activity: The Role of the Feedback Sign. *Journal of medical Internet research*, 19(6), e192. <https://doi.org/10.2196/jmir.7012>